

## Audio Effects I:

### Echo/Delay

Definition: *Adding delayed copies of a signal to itself*

Typical Parameters: delay length, feedback, filtering, wet/dry

Example REAPER plug-in: *ReaDelay*



### Stereo Imaging

Def.: *Changing the perceived width of a stereo signal*

Params.: width, delay, mid/side, wet/dry

Ex. Plug-in: *Stereo Enhancer*



### Reverb

Def.: *Emulating the reverberance of a room*

(*using many delays or a special room recording ('impulse')*)

Params.: length, size, dampening, stereo width, wet/dry

Ex. Plug-in: *ReaVerbate* (*ReaVerb* more advanced version)



### Modulation Effects

Def.: *All involve using a control signal, called a low frequency oscillator (LFO), to modulate parameters of the signal*

**Tremolo** – changing **amplitude** over time with an LFO

**Vibrato** – changing **pitch/speed** over time with an LFO

**Flanger** and **Chorus** operate similarly: a delayed, modulated copy of a signal, with the delay and modulation changed over time by an LFO, is added to the input signal. Depending on the length of the delay (in ms) different perceptual effects will occur.

**Phasers** operate differently, using a phase-shifting delay (called an all-pass filter), and their parameters often allow you to control the frequency range effected.

**Phaser** – alters phase relationship between incoming signal and its copy, perceived not as a delayed signal but rather a shimmer-y, sweeping effect.

**Flanger** – longer delay times than phaser (1ms – 10ms), perceived as a water-y, swirling effect.

**Chorus** – longest delay times (10ms – 100ms+), perceived as multiple copies of the input signal.

Params.: depth, length, feedback, rate, low/high range (Phaser), wet/dry

Ex. Plug-ins: *Tremolo*, *Chorus*, *Flanger* (is broken...), *4-Tap Phaser*, *Ring Modulator*

## Audio Effects II:

### Dynamics

Def.: *Automatically changing the amplitude of a signal based on its amplitude*

**Compressor** – turns down amplitude by a particular value (ratio) when it goes **above** a certain level (threshold)

**Limiter** – Compressor with infinite ratio, preventing signal from going above threshold

**Expander** – in downward version, turns down amplitude by a particular value (ratio) when it goes **below** a certain level (threshold)

**Gate** – Expander with infinite ratio, silencing a signal below threshold

Params.: threshold, ratio, knee, attack, release, makeup gain

Ex. Plug-ins: *ReaComp*, *ReaGate*

### Equalization/Filtering

Def.: *Changing the amplitudes of particular portions of the frequency range*



**High-pass filter** – pass frequencies **above** a cutoff frequency, attenuate others (same as **Low-cut filter**)



**Low-pass filter** – pass frequencies **below** a cutoff frequency, attenuate others (same as **High-cut filter**)



**Band-pass filter** – pass frequencies **around** a center frequency, attenuate others



**Notch filter** – inverse of Band-pass filter: attenuate frequencies **around** a center frequency, pass others



**High-shelf filter** – boost or attenuate frequencies **above** a center frequency



**Low-shelf filter** – boost or attenuate frequencies **below** a center frequency



**Peak** (also called “Band” or “Bell”) **filter** – boost or attenuate frequencies **around** a center frequency

Params:



Slope – the intensity of attenuation across frequencies

Resonance or Q (‘quality factor’) – the sharpness or focus of the filter.

Params.: frequency, gain, slope, ‘Q’/resonance

Ex. Plug-in: *ReaEQ*

### Spectral Effects

Def.: *Convert the signal to a frequency domain representation and apply effects to it*

Params.: window size, window overlap

Ex. Plug-in: *Spectral Hold*

Also **SPEAR Software**